


ITEMA/SOMET


UV | ST | AC2 | AC2S | MASTER | THEMA | EXCEL | ALPHA

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948


ITE - 201 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 22 SOPA22D000 - 30 SOPA30D000	240 mm
ITE - 202 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 22 SOPB22D000 - 30 SOPB30D000	240 mm
ITE - 203 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 22 SOPC22D000 - 30 SOPC30D000	240 mm
ITE - 204 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 22 SOPG22D000 - 30 SOPG30D000	240 mm
ITE - 205 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 22 SOPL22D000 - 30 SOPL30D000	240 mm
ITE - 206 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 SOPN22D000 - 30 SOPN30D000	240 mm
ITE - 207 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 21 SOPL21DP14 - 29 SOPL29DP14	240 mm
ITE - 208 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 21 SOPN21DP14 - 29 SOPN29DP14	240 mm
ITE - 209 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 24 SOPF66252440 - 32 SOPF66253240	240 mm



ITEMA/SOMET


UV | ST | AC2 | AC2S | MASTER | THEMA | EXCEL | ALPHA

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**


OFFICINE dal 1948


ITE - 210 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvedge keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm SOPZ662512 - 6x150 mm SOPZ662522	 250 mm
ITE - 211 FABRICS	Light Shirting, cotton, silk Low Selvedge keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm SOPZ462512 - 4x150 mm SOPZ662522	 290 mm
ITE - 212 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvedge keep 1.00 mm RINGS N./CODE 6 1904012	 250 mm
ITE - 213 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° SOPL462500 - 4.24° SOPL464500	 212 mm
ITE - 214 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° SOPL662500 - 6.24° SOPL664500	 218 mm
ITE - 215 FABRICS	Light Cotton, silk, filament Medium low Selvedge keep 1.00 mm RINGS N./CODE 2x105 mm SOPZ2N2512 - 2x150 mm SOPZ2N2522	 290 mm
ITE - 216 FABRICS	Light Cotton, silk, filament Low Selvedge keep 1.00 mm RINGS N./CODE 2 SOPL2N2500 - 3 SOPL3N2500	 212 mm
ITE - 217 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE SOPG19F000	 240 mm
ITE - 218 FABRICS	AUXILIARY TEMPLE for leno-selvedge All Low, medium, high False selvedge 1.50 mm, 1.00 mm, 1.00 mm RINGS N./CODE 2 GE0U002S320 - 4 GE0U04S320 - 4 GE0U04S622	




ITE - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 22 VAPA22D000 - 30 VAPA30D000	260 mm
ITE - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 22 VAPB22D000 - 30 VAPB30D000	260 mm
ITE - 103 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 22 VAPC22D000 - 30 VAPC30D000	260 mm
ITE - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 22 VAPG22D000 - 30 VAPG30D000	260 mm
ITE - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 22 VAPL22D000 - 30 VAPL30D000	260 mm
ITE - 106 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 VAPN22D000 - 30 VAPN30D000	260 mm
ITE - 107 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 21 VAPL21DP14 - 29 VAPL29DP14	260 mm
ITE - 108 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 21 VAPN21DP14 - 29 VAPN29DP14	260 mm
ITE - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 24 VAPF66252440 - 32 VAPF66253240	260 mm





ITE - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm VAPZ662512 - 6x150 mm VAPZ662522	 260 mm
ITE - 111 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105mm VAPZ462512 - 6x150mm VAPZ4662522	 308 mm
ITE - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 6 02041120	 270 mm
ITE - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm 4.20° VAPL462500 - 4.24° VAPL464500	 212 mm
ITE - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm 6.20° VAPL662500 - 6.24° VAPL664500	 218 mm
ITE - 115 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm VAPZ2N2512 - 2x150 mm VAPZ2N2522	 308 mm
ITE - 116 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 VAPL2N2500 - 3 VAPL3N2500	 212 mm
ITE - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE VAPG19F000	 260 mm
ITE - 118 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00mm RINGS N./CODE 2 GE0U02S320 - 4 GE0U04S320 - 4 GE0U04S622	



ITE - 301 FABRICS	Heavy Blanket, linen, wool, terry towelling	
CONTRACTION PROBLEM	High	208 mm
PINS LENGHT	from 2.5 mm to 1.00 mm	
RINGS N./CODE	23 SOMA23D000 - 38 SOMA38D000	
ITE - 302 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc.	
CONTRACTION PROBLEM	High	208 mm
PINS LENGHT	Shrinkage temple cut from 1.5 mm to 0.50 mm	
RINGS N./CODE	23 SOMB23D000 - 38 SOMB38D000	
ITE - 303 FABRICS	Very heavy, terry Technical, etc.	
CONTRACTION PROBLEM	High	208 mm
PINS LENGHT	Shrinkage	
RINGS N./CODE	from 2.5 mm to 1.5 mm 23 SOMC23D000 - 38 SOMC38D000	
ITE - 304 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc.	
CONTRACTION PROBLEM	Medium	208 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.75 mm	
RINGS N./CODE	23 SOMG23D000 - 38 SOMG38D000	
ITE - 305 FABRICS	Medium light, fine Sheet, elastic fabrics, etc.	
CONTRACTION PROBLEM	Medium	208 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.55 mm	
RINGS N./CODE	23 SOML23D000 - 38 SOML38D000	
ITE - 306 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium low	208 mm
PINS LENGHT	Temple cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	23 SOMN23D000 - 38 SOMN38D000	
ITE - 307 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium, low	208 mm
PINS LENGHT	Temples cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	22 SOML22DP14 - 37 SOML37DP14	
ITE - 308 FABRICS	Fine Popline, shirting, etc.	
CONTRACTION PROBLEM	Low	209 mm
PINS LENGHT	Temple cut from 0.75 mm to 0.30 mm	
RINGS N./CODE	22 SOMN22DP14 - 37 SOMN37DP14	
ITE - 309 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium	
PINS LENGHT	Selvedge keep from 1.00 mm to 0.50 mm	
RINGS N./CODE	24 SOMF66252440 - 39 SOMF66253940	






ITE - 310 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm 6x105 mm SOMZ662512 - 6x150 mm SOMZ662522	 208 mm
ITE - 311 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm 4x105 mm SOMZ462512 - 4x150 mm SOMZ662522	 208 mm
ITE - 312 FABRICS	Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm 6 1904026	 233 mm
ITE - 313 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm 4.20° SOML462500 - 4.24° SOML464500	 222 mm
ITE - 314 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm 6.20° SOML662500 - 6.24° SOML664500	 222 mm
ITE - 315 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm 2x105 mm SOMZ2N2512 - 2x150 mm SOMZ2N2522	 208 mm
ITE - 316 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm 2 SOML2N2500 - 3 SOML3N2500	 212 mm
ITE - 317 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm SOMG20F000	 208 mm
ITE - 318 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00 mm 2 GE0U02S32M - 4 GE0U04S32M - 4 GE0U04S622M	 0(cm) 5 10 15 20 25 0(inch) 1 2 46 81 0


ITEMA VAMATEX**TUCKED-IN DEVICE**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948

ITE - 601 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 23 VARA23D000 - 28 VARA28D000	240 mm
ITE - 602 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 23 VARB23D000 - 28 VARB28D000	240 mm
ITE - 603 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 23 VARC23D000 - 28 VARC28D000	240 mm
ITE - 604 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 23 VARG23D000 - 28 VARG28D000	240 mm
ITE - 605 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 23 VARL23D000 - 28 VARL28D000	240 mm
ITE - 606 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 23 VARN23D000 - 28 VARN28D000	240 mm
ITE - 607 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 VARL22DP14 - 27 VARL27DP14	240 mm
ITE - 608 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 22 VARN22DP14 - 27 VARN27DP14	240 mm
ITE - 609 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 25 VARF66252540 - 30 VARF66253040	240 mm




CASTELLO

OFFICINE dal 1948


ITEMA VAMATEX

TUCKED-IN DEVICE

ITE - 610 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm 6x105 mm VARZ662512 - 6x150 mm VARZ662522	 255 mm
ITE - 611 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm 4x105 mm VARZ462512 - 4x150 mm VARZ662522	 255 mm
ITE - 612 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm 6 1906102	 255 mm
ITE - 613 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm 4.20° VARC462500 - 4.24° VARC464500	 112 mm
ITE - 614 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm 6.20° VARC662500 - 6.24° VARC664500	 116 mm
ITE - 615 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm 2x105 mm VARZ2N2512 - 2x150 mm VARZ2N2522	 255 mm
ITE - 616 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm 2 VARL2N2500 - 3 VARL3N2500	 116 mm
ITE - 617 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm 20 VARG20F000	 240 mm
ITE - 618 FABRICS	CENTRAL SUPPORT CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE GE0CS0C100 - GE02537134	




ITE - 401 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Heavy Blanket, linen, wool, terry towelling High Shrinkage from 2.5 mm to 1.00 mm 24 SOCA24D000 - 32 SOCA32D000	
ITE - 402 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut from 1.5 mm to 0.50 mm 24 SOCB24D000 - 32 SOCB32D000	
ITE - 403 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Very heavy, terry Technical, etc. High Shrinkage from 2.5 mm to 1.5 mm 24 SOC24D000 - 32 SOC32D000	
ITE - 404 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.75 mm 24 SOCG24D000 - 32 SOCG32D000	
ITE - 405 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.55 mm 24 SOC24D000 - 32 SOC32D000	
ITE - 406 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. medium low Temple cut from 1.00 mm to 0.30 mm 24 SOCN24D000 - 32 SOCN32D000	
ITE - 407 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. Medium, low Temples cut from 1.00 mm to 0.30 mm 23 SOC23DP14 - 31 SOC31DP14	
ITE - 408 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Popline, shirting, etc. Low Temple cut from 0.75 mm to 0.30 mm 23 SOCN23DP14 - 31 SOCN31DP14	
ITE - 409 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep from 1.00 mm to 0.50 mm 26 SOCF66252640 - 34 SOCF66253440	



ITE - 410 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm SOCZ662512 - 6x150 mm SOCZ662522	 168 mm
ITE - 411 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105mm SOCZ462512 - 4x150mm SOCZ462522	 168 mm
ITE - 412 FABRICS	Medium, medium/heavy Denim, technical, corduroy CONTRACTION PROBLEM High, medium Shrinkage, temple cut, selvage keep PINS LENGHT 1.00 mm RINGS N./CODE 6 1905182	 168 mm
ITE - 413 FABRICS	Light Cotton, silk, filament Low Temple cut PINS LENGHT from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° SOCL462500 - 4.24° SOCL464500	 168 mm
ITE - 414 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut PINS LENGHT from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° SOCL662500 - 6.24° SOCL664500	 168 mm
ITE - 415 FABRICS	Light Cotton, silk, filament Medium low Selvage keep PINS LENGHT 1.00 mm RINGS N./CODE 2x105 mm SOCZ2N2512 - 2x150 mm SOCZ2N2522	 168 mm
ITE - 416 FABRICS	Light Cotton, silk, filament Low Selvage keep PINS LENGHT 1.00 mm RINGS N./CODE 2 SOCL2N2500 - 3 SOCL3N2500	 168 mm
ITE - 417 FABRICS	Fringe CONTRACTION PROBLEM Medium Warp cut PINS LENGHT from 1.00 mm to 0.50 mm RINGS N./CODE 21 SOCG21F000	 168 mm
ITE - 418 FABRICS	HEAD SUPPORT GEOSIT6530	 GEOSIT6530

ITEMATECH PANTER**E4 | E5X | 5XP | UNIRAP | HERCULES | MAXI**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com


**CASTELLO**

OFFICINE dal 1948

ITE - 501 FABRICS	Heavy Blanket, linen, wool, terry towelling	
CONTRACTION PROBLEM	High	262 mm
PINS LENGHT	from 2.5 mm to 1.00 mm	
RINGS N./CODE	22 PAPA22D000 - 30 PAPA30D000	
ITE - 502 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc.	
CONTRACTION PROBLEM	High	262 mm
PINS LENGHT	Shrinkage temple cut from 1.5 mm to 0.50 mm	
RINGS N./CODE	22 PAPB22D000 - 30 PAPB30D000	
ITE - 503 FABRICS	Very heavy, terry Technical, etc.	
CONTRACTION PROBLEM	High	262 mm
PINS LENGHT	Shrinkage	
RINGS N./CODE	from 2.5 mm to 1.5 mm 22 PAPC22D000 - 30 PAPC30D000	
ITE - 504 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc.	
CONTRACTION PROBLEM	Medium	262 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.75 mm	
RINGS N./CODE	22 PAPG22D000 - 30 PAPG30D000	
ITE - 505 FABRICS	Medium light, fine Sheet, elastic fabrics, etc.	
CONTRACTION PROBLEM	Medium	262 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.55 mm	
RINGS N./CODE	22 PAPL22D000 - 30 PAPL30D000	
ITE - 506 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium low	262 mm
PINS LENGHT	Temple cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	22 PAPN22D000 - 30 PAPN30D000	
ITE - 507 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium, low	262 mm
PINS LENGHT	Temples cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	21 PAPL21DP14 - 29 PAPL29DP14	
ITE - 508 FABRICS	Fine Popline, shirting, etc.	
CONTRACTION PROBLEM	Low	262 mm
PINS LENGHT	Temple cut from 0.75 mm to 0.30 mm	
RINGS N./CODE	21 PAPN21DP14 - 29 PAPN29DP14	
ITE - 509 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium	262 mm
PINS LENGHT	Selvedge keep from 1.00 mm to 0.50 mm	
RINGS N./CODE	24 PAPF66252440 - 32 PAPF66253240	

ITEMATECH PANTER**E4 | E5X | 5XP | UNIRAP | HERCULES | MAXI**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

ITE - 510 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm PAPZ662512 - 6x150 mm PAPZ662522	 262 mm
ITE - 511 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm PAPZ462512 - 4x150 mm PAPZ4662522	 308 mm
ITE - 512 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 6 02041121	 278 mm
ITE - 513 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° PAPL462500 - 4.24° PAPL464500	 212 mm
ITE - 514 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° PAPL662500 - 6.24° PAPL664500	 218 mm
ITE - 515 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm PAPZ2N2512 - 2x150 mm PAPZ2N2522	 307 mm
ITE - 516 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 PAPL2N2500 - 3 PAPL3N2500	 212 mm
ITE - 517 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE PAPG19F000	 262 mm
ITE - 518 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00 mm RINGS N./CODE 2 GE0U025320 - 4 GE0U04S320 - 4 GE0U04S622	

SULZER TEXTILE RUTI**L5000 | L5001 | G6100 | G6200**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

SUR - 101 FABRICS	Heavy Blancket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 24 SURA24D000 - 32 SURA32D000	168 mm
SUR - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 24 SURB24D000 - 32 SURB32D000	168 mm
SUR - 103 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 24 SURC24D000 - 32 SURC32D000	168 mm
SUR - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 24 SURG24D000 - 32 SURG32D000	168 mm
SUR - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 24 SURL24D000 - 32 SURL32D000	168 mm
SUR - 106 FABRICS	Fine Shirting, cotton, etc. medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 24 SURN24D000 - 32 SURN32D000	168 mm
SUR - 107 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 23 SURA23DP14 - 31 SURL31DP14	168 mm
SUR - 108 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 23 SURN23DP14 - 31 SURN31DP14	168 mm
SUR - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 26 SURF66252640 - 34 SURF66253440	168 mm

SULZER TEXTILE RUTI**L5000 | L5001 | G6100 | G6200**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

SUR - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm SUR2662512 - 6x150 mm SUR2662522	
SUR - 111 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm SUR2462512 - 4x150 mm SUR2462522	
SUR - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 61905181	
SUR - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° SURL462500 - 4.24° SURL464500	
SUR - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° SURL662500 - 6.24° SURL664500	
SUR - 115 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm SUR22N2512 - 2x150 mm SUR22N2522	
SUR - 116 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 SURL2N2500 - 3 SURL3N2500	
SUR - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE 21 SURG21F000	
SUR - 118 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00mm RINGS N./CODE 2 GE0U02532R - 4 GE0U04532R - 4 GE0U045622R	 GE0SIT6530


SULZER/TEXTILE**G6500**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

SUG - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 22 SUGA22D000 - 30 SUGA30D000	240 mm
SUG - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 22 SUGB22D000 - 30 SUGB30D000	240 mm
SUG - 103 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 22 SUGC22D000 - 30 SUGC30D000	240 mm
SUG - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 22 SUGG22D000 - 30 SUGG30D000	240 mm
SUG - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 22 SUGL22D000 - 30 SUGL30D000	240 mm
SUG - 106 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 SUGN22D000 - 30 SUGN30D000	240 mm
SUG - 107 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 21 SUGL21DP14 - 29 SUGL29DP14	240 mm
SUG - 108 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 21 SUGN21DP14 - 29 SUGN29DP14	240 mm
SUG - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 24 SUGF66252440 - 32 SUGF66253240	240 mm



SULZER/TEXTILE**G6500**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

SUG - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm SUGZ662512 - 6x150 mm SUGZ662522	 250 mm
SUG - 111 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm SUGZ462512 - 4x150 mm SUGZ662522	 290 mm
SUG - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 6 1904013	 250 mm
SUG - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° SUGL462500 - 4.24° SUGL464500	 212 mm
SUG - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° SUGL662500 - 6.24° SUGL664500	 218 mm
SUG - 115 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm SUGZ2N2512 - 2x150 mm SUGZ2N2522	 290 mm
SUG - 116 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 SUGL2N2500 - 3 SUGL3N2500	 212 mm
SUG - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE 19 SUGG19F000	 240 mm
SUG - 118 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00mm RINGS N./CODE 2 GE0U02S320 - 4 GE0U04S320 - 4 GE0U04S622	

SULZER PROJECTILE


TW11 | PU | P7100 | P7200

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948

SUR - 201 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Heavy Blancket, linen, wool, terry towelling High Shrinkage from 2.5 mm to 1.00 mm 12 lat. SUPA12S00L - 12 cen. SUPA12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 202 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut from 1.5 mm to 0.50 mm 12 lat. SUPB12S00L - 12 cen. SUPB12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 203 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Very heavy, terry Technical, etc. High Shrinkage from 2.5 mm to 1.5 mm 12 lat. SUPC12S00L - 12 cen. SUPC12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 204 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.75 mm 12 lat. SUPG12S00L - 12 cen. SUPG12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 205 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.55 mm 12 lat. SUPL12S00L - 12 cen. SUPL12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 206 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. Medium low Temple cut from 1.00 mm to 0.30 mm 12 lat. SUPN12S00L - 12 cen. SUPN12S00C	 LATERAL 75 mm  CENTRAL 75 mm
SUR - 207 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. Medium, low Temples cut from 1.00 mm to 0.30 mm 11 lat. SUPL11SP14	 LATERAL 75 mm
SUR - 208 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Popline, shirting, etc. Low Temple cut from 0.75 mm to 0.30 mm 11 lat. SUPN11SP14	 LATERAL 75 mm
SUR - 209 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep from 1.00 mm to 0.50 mm 13 lat. SUPF66251340 - 11 cen. SUPF11D00C	 LATERAL 75 mm  CENTRAL 75 mm



SULZER PROJECTILE

TW11 | PU | P7100 | P7200

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


SUR - 210 FABRICS Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm 6 lat. SUPZ662572 - cen. SUPZ00072C		 
SUR - 211 FABRICS Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm 4 lat. SUPZ462572 - cen. SUPZ00072C		 
SUR - 212 FABRICS Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm 4 lat. SUPC4625000		
SUR - 213 CODE	LONG COVER SUPC030000	
SUR - 214 CODE	SHORT COVER SUPC010000	
SUR - 215 CODE	ADDITIONAL COVER SUPC020000	
SUR - 216 CODE	LONG SUPPORT SHAFT SUPP020000	
SUR - 217 CODE	SHORT SUPPORT SHAFT SUPP010000	
SUR - 218 CODE	ADDITIONAL SUPPORT SHAFT SUPP030000	

Complete catalog on www.temple-castello.com


DORNIER 1


AWS | LWS | HTV | PTV | PTS

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948


DOR - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling	
CONTRACTION PROBLEM	High	222 mm
PINS LENGHT	Shrinkage	
RINGS N./CODE	from 2.5 mm to 1.00 mm 22 DO1A22D000 - 29 DO1A29D000 37 DO1A37D000 - 48 DO1A48D000	
DOR - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc.	
CONTRACTION PROBLEM	High	222 mm
PINS LENGHT	Shrinkage temple cut	
RINGS N./CODE	from 1.5 mm to 0.50 mm 22 DO1B22D000 - 29 DO1B29D000 37 DO1B47D000 - 48 DO1B48D000	
DOR - 103 FABRICS	Very heavy, terry Technical, etc.	
CONTRACTION PROBLEM	High	222 mm
PINS LENGHT	Shrinkage	
RINGS N./CODE	from 2.5 mm to 1.5 mm 22 DO1C22D000 - 29 DO1C29D000 37 DO1C37D000 - 48 DO1C48D000	
DOR - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc.	
CONTRACTION PROBLEM	Medium	222 mm
PINS LENGHT	Shrinkage, temple cut	
RINGS N./CODE	from 1.00 mm to 0.75 mm 22 DO1G22D000 - 29 DO1G29D000 37 DO1G37D000 - 48 DO1G48D000	
DOR - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc.	
CONTRACTION PROBLEM	Medium	222 mm
PINS LENGHT	Shrinkage, temple cut	
RINGS N./CODE	from 1.00 mm to 0.55 mm 22 DO1L22D000 - 29 DO1L29D000 37 DO1L37D000 - 48 DO1L48D000	
DOR - 106 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	medium, low	222 mm
PINS LENGHT	Temple cut	
RINGS N./CODE	from 1.00 mm to 0.30 mm 22 DO1N22D000 - 29 DO1N29D000 37 DO1N37D000 - 48 DO1N48D000	
DOR - 107 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium, low	222 mm
PINS LENGHT	Temples cut	
RINGS N./CODE	from 1.00 mm to 0.30 mm 21 DO1L21DP14 - 28 DO1L28DP14 36 DO1L36DP14 - 47 DO1L47DP14	
DOR - 108 FABRICS	Fine Popline, shirting, etc.	
CONTRACTION PROBLEM	Low	222 mm
PINS LENGHT	Temple cut	
RINGS N./CODE	from 0.75 mm to 0.30 mm 21 DO1N21DP14 - 28 DO1N28DP14 36 DO1N36DP14 - 47 DO1N47DP14	
DOR - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium	222 mm
PINS LENGHT	Selvedge keep	
RINGS N./CODE	from 1.00 mm to 0.50 mm 24 DO1F66252440 - 31 DO1F66253140 39 DO1F66253940 - 50 DO1F66255040	



DORNIER 1

AWS | LWS | HTV | PTV | PTS

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

DOR - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm DO12662512 - 6x150 mm DO12662522	 260 mm
DOR - 111 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm DO12462512 - 4x150 mm DO12462522	 260 mm
DOR - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 6 1904261	 260 mm
DOR - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° DO1C462500 - 4.24° DO1C464500	 92 mm
DOR - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° DO1C662500 - 6.24° DO1C664500	 92 mm
DOR - 115 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm DO122N2512 - 2x150 mm DO122N2522	 260 mm
DOR - 116 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 DO1C2N2500 - 3 DO1C3N2500	 92 mm
DOR - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE 25 DO1G25F000	 222 mm


DORNIER 2

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

DOR - 201 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Heavy Blanket, linen, wool, terry towelling High Shrinkage from 2.5 mm to 1.00 mm 22 DO2A22D000 - 30 DO2A30D000	 200 mm
DOR - 202 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut from 1.5 mm to 0.50 mm 22 DO2B22D000 - 30 DO2B30D000	 200 mm
DOR - 203 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Very heavy, terry Technical, etc. High Shrinkage from 2.5 mm to 1.5 mm 22 DO2C22D000 - 30 DO2C30D000	 200 mm
DOR - 204 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.75 mm 22 DO2G22D000 - 30 DO2G30D000	 200 mm
DOR - 205 FABRIC CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.55 mm 22 DO2L22D000 - 30 DO2L30D000	 200 mm
DOR - 206 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. medium low Temple cut from 1.00 mm to 0.30 mm 22 DO2N22D000 - 30 DO2N30D000	 200 mm
DOR - 207 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. Medium, low Temples cut from 1.00 mm to 0.30 mm 21 DO2L21DP14 - 29 DO2L29DP14	 200 mm
DOR - 208 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Popline, shirting, etc. Low Temple cut from 0.75 mm to 0.30 mm 21 DO2N21DP14 - 29 DO2N29DP14	 200 mm
DOR - 209 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep from 1.00 mm to 0.50 mm 24 DO2F66252440 - 32 DO2F66253240	 200 mm



DORNIER 2

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

DOR - 210 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium, low Selvedge keep	230 mm
PINS LENGHT	from 1.00 mm to 0.50 mm	
RINGS N./CODE	6x105mm DO2Z662512 - 6x150mm DO2Z662522	
DOR - 211 FABRICS	Light Shirting, cotton, silk	
CONTRACTION PROBLEM	Low Selvedge keep	230 mm
PINS LENGHT	from 1.00 mm to 0.50 mm	
RINGS N./CODE	4x105 mm DO2Z462512 - 4x150 mm DO2Z462522	
DOR - 212 FABRICS	Medium, medium/heavy Denim, technical, corduroy	
CONTRACTION PROBLEM	High, medium Shrinkage, temple cut, selvedge keep	230 mm
PINS LENGHT	1.00 mm	
RINGS N./CODE	6 1904256	
DOR - 213 FABRICS	Light Cotton, silk, filament	
CONTRACTION PROBLEM	Low Temple cut	212 mm
PINS LENGHT	from 1.00 mm to 0.50 mm	
RINGS N./CODE	4.20° DO2L462500 - 4.24° DO2L464500	
DOR - 214 FABRICS	Medium light Synthetic, silk, wool, etc.	
CONTRACTION PROBLEM	Medium low Temple cut	212 mm
PINS LENGHT	from 1.00 mm to 0.50 mm	
RINGS N./CODE	6.20° DO2L662500 - 6.24° DO2L664500	
DOR - 215 FABRICS	Light Cotton, silk, filament	
CONTRACTION PROBLEM	Medium low Selvedge keep	230 mm
PINS LENGHT	1.00 mm	
RINGS N./CODE	2x105 mm DO2Z2N2512 - 2x150 mm DO2Z2N2522	
DOR - 216 FABRICS	Light Cotton, silk, filament	
CONTRACTION PROBLEM	Low Selvedge keep	212 mm
PINS LENGHT	1.00 mm	
RINGS N./CODE	2 DO2C2N2500 - 3 DO2C3N2500	
DOR - 217 FABRICS	Fringe	
CONTRACTION PROBLEM	Medium Warp cut	200 mm
PINS LENGHT	from 1.00 mm to 0.50 mm	
RINGS N./CODE	19 DO2G19F000	
DOR - 218 FABRICS	AUXILIARY TEMPLE for leno-selvedge All	
CONTRACTION PROBLEM	Low, medium, high False selvedge	
PINS LENGHT	1.50 mm, 1.00 mm, 1.00 mm	
RINGS N./CODE	2 GE0U02S320 - 4 GE0U04S320 - 4 GE0U04S6220	




DORNIER 3

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

DOR - 301 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Heavy Blanket, linen, wool, terry towelling High Shrinkage from 2.5 mm to 1.00 mm 22 DO3A22D000 - 30 DO3A30D000	 260 mm
DOR - 302 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut from 1.5 mm to 0.50 mm 22 DO3B22D000 - 30 DO3B30D000	 260 mm
DOR - 303 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Very heavy, terry Technical, etc. High Shrinkage from 2.5 mm to 1.5 mm 22 DO3C22D000 - 30 DO3C30D000	 260 mm
DOR - 304 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.75 mm 22 DO3G22D000 - 30 DO3G30D000	 260 mm
DOR - 305 FABRIC CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut from 1.00 mm to 0.55 mm 22 DO3L22D000 - 30 DO3L30D000	 260 mm
DOR - 306 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. medium low Temple cut from 1.00 mm to 0.30 mm 22 DO3N22D000 - 30 DO3N30D000	 260 mm
DOR - 307 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Shirting, cotton, etc. Medium, low Temples cut from 1.00 mm to 0.30 mm 21 DO3L21DP14 - 29 DO3L29DP14	 260 mm
DOR - 308 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Fine Popline, shirting, etc. Low Temple cut from 0.75 mm to 0.30 mm 21 DO3N21DP14 - 29 DO3N29DP14	 260 mm
DOR - 309 FABRICS CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep from 1.00 mm to 0.50 mm 24 DO3F66252440 - 32 DO3F66253240	 260 mm




DORNIER 3

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948


DOR - 310 FABRICS	Medium, medium light Wool, cotton, silk, shirting		260 mm
CONTRACTION PROBLEM	Medium, low Selvage keep		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	6x105mm DO3Z662512 - 6x150mm DO3Z662522		
DOR - 311 FABRICS	Light Shirting, cotton, silk		260 mm
CONTRACTION PROBLEM	Low Selvage keep		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	4x105 mm DO3Z462512 - 4x150 mm DO3Z462522		
DOR - 312 FABRICS	Medium, medium/heavy Denim, technical, corduroy		260 mm
CONTRACTION PROBLEM	High, medium Shrinkage, temple cut, selvage keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	6 1904255		
DOR - 313 FABRICS	Light Cotton, silk, filament		218 mm
CONTRACTION PROBLEM	Low Temple cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	4.20° DO3L462500 - 4.24° DO3L464500		
DOR - 314 FABRICS	Medium light Synthetic, silk, wool, etc.		218 mm
CONTRACTION PROBLEM	Medium low Temple cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	6.20° DO3L662500 - 6.24° DO3L664500		
DOR - 315 FABRICS	Light Cotton, silk, filament		260 mm
CONTRACTION PROBLEM	Medium low Selvage keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	2x105 mm DO3Z2N2512 - 2x150 mm DO3Z2N2522		
DOR - 316 FABRICS	Light Cotton, silk, filament		212 mm
CONTRACTION PROBLEM	Low Selvage keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	2 DO3C2N2500 - 3 DO3C3N2500		
DOR - 317 FABRICS	Fringe		260 mm
CONTRACTION PROBLEM	Medium Warp cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	19 DO3G19F000		
DOR - 318 FABRICS	AUXILIARY TEMPLE for leno-selvage All		
CONTRACTION PROBLEM	Low, medium, high False selvage		
PINS LENGHT	1.50 mm, 1.00 mm, 1.00mm		
RINGS N./CODE	2 GE0U025320 - 4 GE0U04S320 - 4 GE0U04S6220		



SANTEX SMIT


TP3 | TP300 | TP400 | TP500 | TP600

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948


PBO - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 22 PBOA22D000 - 30 PBOA30D000		
PBO - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 22 PBOB22D000 - 30 PBOB30D000		
PBO - 103 FABRICS	Very heavy, terry Technical, etc. High Shrinkage		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 22 PBOC22D000 - 30 PBOC30D000		
PBO - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 22 PBOG22D000 - 30 PBOG30D000		
PBO - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 22 PBOL22D000 - 30 PBOL30D000		
PQO - 106 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 PBON22D000 - 30 PBON30D000		
PBO - 107 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 21 PBOL21DP14 - 29 PBOL29DP14		
PBO - 108 FABRICS	Fine Popline, shirting, etc. Low Temple cut		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 21 PBON21DP14 - 29 PBON29DP14		
PBO - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep		253 mm
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 24 PBOF66252440 - 32 PBOF66253240		



SANTEX SMIT

TP3 | TP300 | TP400 | TP500 | TP600

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

PBO - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm 6x105 mm PBOZ662512 - 6x150 mm PBOZ662522	 253 mm
PBO - 111 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm 4x105 mm PBOZ462512 - 4x150 mm PBOZ462522	 253 mm
PBO - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm 6 1905222	 253 mm
PBO - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm 4.20° PBOL462500 - 4.24° PBOL464500	 189 mm
PBO - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm 6.20° PBOL662500 - 6.24° PBOL664500	 196 mm
PBO - 115 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm 2x105 mm PBOZ2N2512 - 2x150 mm PBOZ2N2522	 253 mm
PBO - 116 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm 2 PBOL2N2500 - 3 PBOL3N2500	 187 mm
PBO - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm 19 PBOG19F000	 253 mm
PBO - 118 FABRICS	SPACER CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE PBOD035000	 35 mm

PICANOL**GAMMA | PET | STM-STX | OLD MOUNTING SYSTEM**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

PIC - 201 FABRICS	Heavy Blanket, linen, wool, terry towelling	
CONTRACTION PROBLEM	High	280 mm
PINS LENGHT	from 2.5 mm to 1.00 mm	
RINGS N./CODE	22 PIGA22D000 - 37 PIGA37D000	
PIC - 202 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc.	
CONTRACTION PROBLEM	High	280 mm
PINS LENGHT	Shrinkage temple cut from 1.5 mm to 0.50 mm	
RINGS N./CODE	22 PIGB22D000 - 37 PIGB37D000	
PIC - 203 FABRICS	Very heavy, terry Technical, etc.	
CONTRACTION PROBLEM	High	280 mm
PINS LENGHT	Shrinkage from 2.5 mm to 1.5 mm	
RINGS N./CODE	22 PIGC22D000 - 37 PIGC37D000	
PIC - 204 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc.	
CONTRACTION PROBLEM	Medium	280 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.75 mm	
RINGS N./CODE	22 PIGG22D000 - 37 PIGG37D000	
PIC - 205 FABRICS	Medium light, fine Sheet, elastic fabrics, etc.	
CONTRACTION PROBLEM	Medium	280 mm
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.55 mm	
RINGS N./CODE	22 PIGL22D000 - 37 PIGL37D000	
PIC - 206 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium low	280 mm
PINS LENGHT	Temple cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	22 PIGN22D000 - 37 PIGN37D000	
PIC - 207 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium, low	280 mm
PINS LENGHT	Temples cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	21 PIGL21DP14 - 36 PIGL36DP14	
PIC - 208 FABRICS	Fine Popline, shirting, etc.	
CONTRACTION PROBLEM	Low	280 mm
PINS LENGHT	Temple cut from 0.75 mm to 0.30 mm	
RINGS N./CODE	21 PIGN21DP14 - 36 PIGN36DP14	
PIC - 209 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium	280 mm
PINS LENGHT	Selvedge keep from 1.00 mm to 0.50 mm	
RINGS N./CODE	24 PIGF66252440 - 39 PIGF66253940	

PICANOL**GAMMA | PET | STM-STX | OLD MOUNTING SYSTEM**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com


**CASTELLO**

OFFICINE dal 1948

PIC - 210 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm PIGZ662512 - 6x150 mm PIGZ662522	 280 mm
PIC - 211 FABRICS	Light Shirting, cotton, silk Low Selvage keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm PIGZ462512 - 4x150 mm PIGZ462522	 280 mm
PIC - 212 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvage keep 1.00 mm RINGS N./CODE 6 1904261	 280 mm
PIC - 213 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° PIGL462500 - 4.24° PIGL464500	 192 mm
PIC - 214 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° PIGL662500 - 6.24° PIGL664500	 192 mm
PIC - 215 FABRICS	Light Cotton, silk, filament Medium low Selvage keep 1.00 mm RINGS N./CODE 2x105 mm PIGZ2N2512 - 2x150 mm PIGZ2N2522	 280 mm
PIC - 216 FABRICS	Light Cotton, silk, filament Low Selvage keep 1.00 mm RINGS N./CODE 2 PIGL2N2500 - 3 PIGL3N2500	 192 mm
PIC - 217 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE 19 PIGG19F000	 280 mm
ITE - 218 FABRICS	AUXILIARY TEMPLE for leno-selvage All Low, medium, high False selvage 1.50 mm, 1.00 mm, 1.00mm RINGS N./CODE 2 GE0U02S320 - 4 GE0U04S320 - 4 GE0U04S622	


SANTEX**FAST | G6300 | GS900 | GS980 | GS940 | ONE**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

PQO - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.00 mm 22 SUQA22D000 - 30 SUQA30D000	235 mm
PQO - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc. High Shrinkage temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.5 mm to 0.50 mm 22 SUQB22D000 - 30 SUQB30D000	235 mm
PQO - 103 FABRICS	Very heavy, terry Technical, etc. High Shrinkage	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 2.5 mm to 1.5 mm 22 SUQC22D000 - 30 SUQC30D000	235 mm
PQO - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.75 mm 22 SUQG22D000 - 30 SUQG30D000	235 mm
PQO - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc. Medium Shrinkage, temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.55 mm 22 SUQL22D000 - 30 SUQL30D000	235 mm
PQO - 106 FABRICS	Fine Shirting, cotton, etc. Medium low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 22 SUQN22D000 - 30 SUQN30D000	235 mm
PQO - 107 FABRICS	Fine Shirting, cotton, etc. Medium, low Temples cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.30 mm 21 SUQL21DP14 - 29 SUQL29DP14	235 mm
PQO - 108 FABRICS	Fine Popline, shirting, etc. Low Temple cut	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 0.75 mm to 0.30 mm 21 SUQN21DP14 - 29 SUQN29DP14	235 mm
PQO - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium Selvedge keep	
CONTRACTION PROBLEM PINS LENGHT RINGS N./CODE	from 1.00 mm to 0.50 mm 24 SUQF66252440 - 32 SUQF66253240	235 mm




SANTEX**FAST | G6300 | GS900 | GS980 | GS940 | ONE**

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**


OFFICINE dal 1948

PQO - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting		250 mm
CONTRACTION PROBLEM	Medium, low Selvedge keep		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	6x105mm SUQZ662512 - 6x150mm SUQZ662522		
PQO - 111 FABRICS	Light Shirting, cotton, silk		282 mm
CONTRACTION PROBLEM	Low Selvedge keep		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	4x105 mm SUQZ462512 - 4x150 mm SUQZ462522		
PQO - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy		250 mm
CONTRACTION PROBLEM	High, medium Shrinkage, temple cut, selvedge keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	6 1904013		
PQO - 113 FABRICS	Light Cotton, silk, filament		212 mm
CONTRACTION PROBLEM	Low Temple cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	4.20° SUQL462500 - 4.24° SUQL464500		
PQO - 114 FABRICS	Medium light Synthetic, silk, wool, etc.		218 mm
CONTRACTION PROBLEM	Medium low Temple cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	6.20° SUQL662500 - 6.24° SUQL664500		
PQO - 115 FABRICS	Light Cotton, silk, filament		282 mm
CONTRACTION PROBLEM	Medium low Selvedge keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	2x105 mm SUQZ2N2512 - 2x150 mm SUQZ2N2522		
PQO - 116 FABRICS	Light Cotton, silk, filament		212 mm
CONTRACTION PROBLEM	Low Selvedge keep		
PINS LENGHT	1.00 mm		
RINGS N./CODE	2 SUQL2N2500 - 3 SUQL3N2500		
PQO - 117 FABRICS	Fringe		235 mm
CONTRACTION PROBLEM	Medium Warp cut		
PINS LENGHT	from 1.00 mm to 0.50 mm		
RINGS N./CODE	19 SUQG19F000		
PQO - 118 FABRICS	AUXILIARY TEMPLE for leno-selvedge All		
CONTRACTION PROBLEM	Low, medium, high False selvedge		
PINS LENGHT	1.50 mm, 1.00 mm, 1.00mm		
RINGS N./CODE	2 GE0U02S320 - 4 GE0U04S320 - 4 GE0U04S622		

PICANOL

OMNI | GAMMAX | OPTIMAX | OMP800 | NEW MOUNTING SYSTEM

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948


PIC - 101 FABRICS	Heavy Blanket, linen, wool, terry towelling	
CONTRACTION PROBLEM	High	
PINS LENGHT	from 2.5 mm to 1.00 mm	
RINGS N./CODE	22 PIOA22D000 - 39 PIOA39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 102 FABRICS	Medium, medium/heavy Wool, cotton, denim, corduroy, etc.	
CONTRACTION PROBLEM	High	
PINS LENGHT	Shrinkage temple cut from 1.5 mm to 0.50 mm	
RINGS N./CODE	22 PIOB22D000 - 39 PIOB39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 103 FABRICS	Very heavy, terry Technical, etc.	
CONTRACTION PROBLEM	High	
PINS LENGHT	Shrinkage	
RINGS N./CODE	from 2.5 mm to 1.5 mm 22 PIOC22D000 - 39 PIOC39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 104 FABRICS	Medium light / fine Shirting, wool, cotton n16 n30, etc.	
CONTRACTION PROBLEM	Medium	
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.75 mm	
RINGS N./CODE	22 PIOG22D000 - 39 PIOG39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 105 FABRICS	Medium light, fine Sheet, elastic fabrics, etc.	
CONTRACTION PROBLEM	Medium	
PINS LENGHT	Shrinkage, temple cut from 1.00 mm to 0.55 mm	
RINGS N./CODE	22 PIOL22D000 - 39 PIOL39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 106 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium low	
PINS LENGHT	Temple cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	22 PION22D000 - 39 PION39D000 *	*EXTRALONG SUPPORT 225 mm
PIC - 107 FABRICS	Fine Shirting, cotton, etc.	
CONTRACTION PROBLEM	Medium, low	
PINS LENGHT	Temples cut from 1.00 mm to 0.30 mm	
RINGS N./CODE	21 PIOL21DP14 - 38 PIOL38DP14 *	*EXTRALONG SUPPORT 225 mm
PIC - 108 FABRICS	Fine Popline, shirting, etc.	
CONTRACTION PROBLEM	Low	
PINS LENGHT	Temple cut from 0.75 mm to 0.30 mm	
RINGS N./CODE	21 PION21DP14 - 38 PION38DP14 *	*EXTRALONG SUPPORT 225 mm
PIC - 109 FABRICS	Medium, medium light Wool, cotton, silk, shirting	
CONTRACTION PROBLEM	Medium	
PINS LENGHT	Selvedge keep from 1.00 mm to 0.50 mm	
RINGS N./CODE	24 PIOF66252440 - 41 PIOF66254140 *	*EXTRALONG SUPPORT 225 mm



PICANOL


OMNI | GAMMAX | OPTIMAX | OMP800 | NEW MOUNTING SYSTEM


Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

**CASTELLO**

OFFICINE dal 1948

PIC - 110 FABRICS	Medium, medium light Wool, cotton, silk, shirting Medium, low Selvedge keep from 1.00 mm to 0.50 mm RINGS N./CODE 6x105 mm PIOZ662512 - 6x150 mm PIOZ662522*	 *EXTRALONG SUPPORT 225 mm
PIC - 111 FABRICS	Light Shirting, cotton, silk Low Selvedge keep from 1.00 mm to 0.50 mm RINGS N./CODE 4x105 mm PIOZ462512 - 4x150 mm PIOZ462522*	 *EXTRALONG SUPPORT 225 mm
PIC - 112 FABRICS	Medium, medium/heavy Denim, technical, corduroy High, medium Shrinkage, temple cut, selvedge keep 1.00 mm RINGS N./CODE 6 1904251	 225 mm
PIC - 113 FABRICS	Light Cotton, silk, filament Low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 4.20° PIOC462500 - 4.24° PIOC464500	 110 mm
PIC - 114 FABRICS	Medium light Synthetic, silk, wool, etc. Medium low Temple cut from 1.00 mm to 0.50 mm RINGS N./CODE 6.20° PIOL662500 - 6.24° PIOL664500	 223 mm
PIC - 115 FABRICS	Light Cotton, silk, filament Medium low Selvedge keep 1.00 mm RINGS N./CODE 2x105 mm PIOZ2N2512 - 2x150 mm PIOZ2N2522	 225 mm
PIC - 116 FABRICS	Light Cotton, silk, filament Low Selvedge keep 1.00 mm RINGS N./CODE 2 PIOL2N2500 - 3 PIOL3N2500	 223 mm
PIC - 117 FABRICS	Fringe Medium Warp cut from 1.00 mm to 0.50 mm RINGS N./CODE 19 PIOG19F000	 225 mm
PIC - 118 FABRICS	AUXILIARY TEMPLE for leno-selvedge All Low, medium, high False selvedge 1.50 mm, 1.00 mm, 1.00mm RINGS N./CODE 2 GEU02532P - 4 GEU04532P - 4 GEU045622P	




**CASTELLO**


OFFICINE dal 1948

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

RUBBER ROLLERS

RE - 101 PROFILE	Double thread RIGHT 45SH Hard 75 mm GEOR073R00 105 mm GEOR013R00 150 mm GEOR023R00	LEFT 45SH Hard 75 mm GEOR073L00 105 mm GEOR013L00 150 mm GEOR023L00	 150 mm
RE - 102 PROFILE	Double thread RIGHT 40SH Medium 75 mm GEOR072R00 105 mm GEOR012R00 150 mm GEOR022R00	LEFT 40SH Medium 75 mm GEOR072L00 105 mm GEOR012L00 150 mm GEOR022L00	 150 mm
RE - 103 PROFILE	Double thread RIGHT 35SH Medium/Soft 75 mm GEOR071R00 105 mm GEOR011R00 150 mm GEOR021R00	LEFT 35SH Medium/Soft 75 mm GEOR071L00 105 mm GEOR011L00 150 mm GEOR021L00	 150 mm
RE - 104 PROFILE	Double thread RIGHT 30SH Soft 75 mm GEOR074R00 105 mm GEOR014R00 150 mm GEOR024R00	LEFT 30SH Soft 75 mm GEOR074L00 105 mm GEOR014L00 150 mm GEOR024L00	 150 mm
RE - 105 PROFILE	Diamond shape 45SH Hard 75 mm GEOR083000 105 mm GEOR033000 150 mm GEOR043000		 150 mm
RE - 106 PROFILE	Diamond shape 40SH Medium 75 mm GEOR082000 105 mm GEOR032000 150 mm GEOR042000		 150 mm
RE - 107 PROFILE	Diamond shape 35SH Medium/Soft 75 mm GEOR081000 105 mm GEOR031000 150 mm GEOR041000		 150 mm
RE - 108 PROFILE	Diamond shape 30SH Soft 75 mm GEOR084000 105 mm GEOR034000 150 mm GEOR044000		 150 mm
RE - 109 PROFILE	8 Threads RIGHT 45SH Hard 75 mm GEOR093R00 105 mm GEOR053R00 150 mm GEOR063R00	LEFT 45SH Hard 75 mm GEOR093L00 105 mm GEOR053L00 150 mm GEOR063L00	 150 mm






CASTELLO

OFFICINE dal 1948

RUBBER ROLLERS

Castello Officine s.r.l. | Fraz. Bulliana 30/D
13835 VALDILANA | BIELLA | ITALY
T. ++39 015 75144 | F. ++39 015 756826
castello@temple-castello.com
www.temple-castello.com

RE - 110 PROFILE		8 Threads RIGHT	LEFT	 150 mm
HARDNESS LENGHT/CODE	40SH Medium	40SH Medium		
	75 mm GEOR092R00	75 mm GEOR092L00		
	105 mm GEOR052R00	105 mm GEOR052L00		
	150 mm GEOR062R00	150 mm GEOR062L00		
RE - 111 PROFILE		8 Threads RIGHT	LEFT	 150 mm
HARDNESS LENGHT/CODE	35SH Medium/Soft	35SH Medium/Soft		
	75 mm GEOR091R00	75 mm GEOR091L00		
	105 mm GEOR051R00	105 mm GEOR051L00		
	150 mm GEOR061R00	150 mm GEOR061L00		
RE - 112 PROFILE		Knurled RIGHT	LEFT	 150 mm
HARDNESS LENGHT/CODE	Brass OT68	Brass OT68		
	75 mm GEORZ75R00	75 mm GEORZ75L00		
	105 mm GEORZ105R0	105 mm GEORZ105L0		
	150 mm GEORZ150R0	150 mm GEORZ150L0		
RE - 113 PROFILE		Picanol		 100 mm
HARDNESS LENGHT/CODE	40SH Medium			
	100 mm GEORP10020			
RE - 114 PROFILE		Double thread RIGHT	LEFT	 150 mm
HARDNESS LENGHT/CODE	40SH Medium	40SH Medium		
	150 mm GEORB22R00	150 mm GEORB22L00		
	PROVIDED WITH SHAFT Ø 10mm			
RE - 115 PROFILE		Double thread RIGHT	LEFT	 150 mm
HARDNESS LENGHT/CODE	35SH Medium/Soft	35SH Medium/Soft		
	150 mm GEORB21R00	150 mm GEORB21L00		
	PROVIDED WITH SHAFT Ø 10mm			